

Trotec Laser GmbH

4600 Wels

Date printed 16.11.2018, Revision 16.11.2018

Version 01

Page 1 / 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier

TroGlass Mirror

1.2 Relevant identified uses of the substance or mixture and uses advised against
1.2.1 Relevant uses

Laser engraved article

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Trotec Laser GmbH
 Linzer Str. 156
 4600 Wels / AUSTRIA
 Phone +43 (0)72 42 239-7777
 Fax +43 (0) 72 42 239-7380
 Homepage www.troteclaser.com
 E-mail trotec@troteclaser.com

Address enquiries to

Technical information trotec@troteclaser.com
Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Company +43 (0)72 42 239-7777

SECTION 2: Hazards identification
2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

not determined

2.2 Label elements

This product is an article and therefore it does not require labelling according to EC directives [REACH/CLP].

2.3 Other hazards
Human health dangers

For thermal decomposition to high temperature are formed toxic, irritating and inflammable smoke.
 Risk of mechanical irritation.

SECTION 3: Composition / Information on ingredients
Product-type:

The product is an article.

Range [%]	Substance
> 90	Polymethylmethacrylate
	CAS: 9011-14-7, EINECS/ELINCS: 618-466-4

Comment on component parts

The contained dangerous materials are not freely available with foreseeable use.
 SVHC (Candidate List of Substances of Very High Concern for authorisation) \geq 0.1%
 CAS 110-80-5 - 2-Ethoxy-ethanol

Trotec Laser GmbH

4600 Wels

Date printed 16.11.2018, Revision 16.11.2018

Version 01

Page 2 / 8

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	In the event of symptoms seek medical treatment.
Inhalation	After inhalation of vapours of product which can set free by thermal processing: Remove the victim into fresh air and keep him calm. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists. In case of burning: After contact with molten product cool quickly with cold water or sterile salt solution and protect with gauze.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	not applicable

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide.
Dry powder.
Water spray jet.

Extinguishing media that must not be used Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)
Carbon dioxide (CO₂)

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Do not inhale explosion and/or combustion gases.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Wear suitable protective equipment. For personal protection see SECTION 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.
Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

Trotec Laser GmbH

4600 Wels

Date printed 16.11.2018, Revision 16.11.2018

Version 01

Page 3 / 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

During mechanical processing vacuuming at processing machines is necessary.
 During thermal processing vacuuming at processing machines is necessary.
 The normal safety precautions for handling of molten, heated products must be observed.
 Avoid contact with eyes and skin. Use personal protective equipment.

Dust can form an explosive mixture with air.
 Take precautionary measures against static discharges.

Wash hands before breaks and after work.
 Do not eat, drink, smoke or take drugs at work.

7.2 Conditions for safe storage, including any incompatibilities

Protect from heat/overheating and from sun.
 Keep in a cool place. Store in a dry place.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational
 exposure limits to be monitored (GB)

not applicable

8.2 Exposure controls

Additional advice on system design	Use suitable discharges or exhaust ventilation if heat treatment is intended. Protection adapted to the manipulation of the fused product (danger of burning). Pay attention to dust limit value (ACGHI-2011: 10 mg/m ³ particle inhalable; 3 mg/m ³ particle respirable). Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	In the case of thermal processing: Tightly fitting goggles. (EN 166:2001) In the event of dust formation: Tightly fitting goggles. (EN 166:2001)
Hand protection	Gloves (heat-resistant). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Protective clothing (EN 340)
Other	Avoid contact with eyes and skin. Do not inhale dust. Do not inhale smokes formed during heat treatment.
Respiratory protection	Respiratory protection in the case of thermal processing. Respiratory protection in the case of dust formation. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
Thermal hazards	yes
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Trotec Laser GmbH

4600 Wels

Date printed 16.11.2018, Revision 16.11.2018

Version 01

Page 4 / 8

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	Acrylic Mirror Plate which is equipped with color on the back. solid in different forms
Color	various
Odor	odourless
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not applicable
Flash point [°C]	not applicable
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not applicable
Density [g/ml]	No information available.
Bulk density [kg/m³]	not applicable
Solubility in water	insoluble
Partition coefficient [n-octanol/water]	not applicable
Viscosity	not applicable
Relative vapour density determined in air	not applicable
Evaporation speed	not applicable
Melting point [°C]	No information available.
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5 Incompatible materials

No information available.

Trotec Laser GmbH

4600 Wels

Date printed 16.11.2018, Revision 16.11.2018

Version 01

Page 5 / 8

10.6 Hazardous decomposition products

For thermal decomposition to high temperature are formed toxic, irritating and inflammable smoke.

In the case of heating following (decomposition) products may occur:

Oxide of carbon (CO_x)

Methyl methacrylate

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	Risk of mechanical irritation. May cause irritation of eye (vapours/fumes). May cause respiratory tract irritation (vapours/fumes). Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	Can be separated out mechanically in purification plants.
Biological degradability	The product is not biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

The product is insoluble in water.

Ecotoxicological data are not available.

Trotec Laser GmbH

4600 Wels

Date printed 16.11.2018, Revision 16.11.2018

Version 01

Page 6 / 8

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

070213

Contaminated packaging

Contaminated packing should be disposed of as product waste.

Uncontaminated packaging may be taken for recycling.

Waste no. (recommended)

150102

150101

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Trotec Laser GmbH

4600 Wels

Date printed 16.11.2018, Revision 16.11.2018

Version 01

Page 7 / 8

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

EEC-REGULATIONS 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2018).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions for people none

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

not applicable

Trotec Laser GmbH

4600 Wels

Date printed 16.11.2018, Revision 16.11.2018

Version 01

Page 8 / 8

SECTION 16: Other information
16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 ATE = acute toxicity estimate
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 ELINCS = European List of Notified Chemical Substances
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 LC0 = lethal concentration, 0%
 LOAEL = lowest-observed-adverse-effect level
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 NOAEL = No Observed Adverse Effect Level
 NOEC = No Observed Effect Concentration
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 STP = Sewage Treatment Plant
 TLV@/TWA = Threshold limit value – time-weighted average
 TLV@/STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.2 Other information
Classification procedure
Modified position

none



Copyright: Chemiebüro®

