

Trotec Laser GmbH

4600 Wels

Date printed 24.06.2019, Revision 24.06.2019

Version 01

Page 1 / 8

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**
**1.1 Product identifier**

**TroLase**  
**TroLase Metallic**  
**TroLase Metallic Plus**  
**TroLase Thins**  
**TroLase Foil**

**1.2 Relevant identified uses of the substance or mixture and uses advised against**
**1.2.1 Relevant uses**

Laser engraved article

**1.2.2 Uses advised against**

None known.

**1.3 Details of the supplier of the safety data sheet**

**Company** Trotec Laser GmbH  
 Linzer Str. 156  
 4600 Wels / AUSTRIA  
 Phone +43 (0)72 42 239-7777  
 Fax +43 (0) 72 42 239-7380  
 Homepage [www.troteclaser.com](http://www.troteclaser.com)  
 E-mail [trotec@troteclaser.com](mailto:trotec@troteclaser.com)

**Address enquiries to**

**Technical information** [trotec@troteclaser.com](mailto:trotec@troteclaser.com)  
**Safety Data Sheet** [sdb@chemiebuero.de](mailto:sdb@chemiebuero.de)

**1.4 Emergency telephone number**

**Company** +43 (0)72 42 239-7777

**SECTION 2: Hazards identification**
**2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]**

No classification.

**2.2 Label elements**

This product is defined as an "article" based on OSHA definition of an article (c). Therefore, this product is exempt from requirements of the hazard communication standard, 29 CFR1910.1200 (HCS 2012), hence a Safety-Data-Sheet is not required in accordance to HCS2012 (b)(6) and the sheets are supplied as a service. This Safety-Data-Sheet contains valuable information critical to the safe handling and proper use of the product.

**2.3 Other hazards**

**Other hazards** none

**SECTION 3: Composition / Information on ingredients**
**Product-type:**

The product is an article.

**Comment on component parts** Metallized and pigmented lacquer coating  
 No dangerous components.

Trotec Laser GmbH

4600 Wels

Date printed 24.06.2019, Revision 24.06.2019

Version 01

Page 2 / 8

#### SECTION 4: First aid measures

##### 4.1 Description of first aid measures

<b>General information</b>	In the event of symptoms seek medical treatment.
<b>Inhalation</b>	No special measures necessary. After inhalation of vapours of product which can set free by thermal processing: Remove the victim into fresh air and keep him calm. In the event of symptoms seek medical treatment.
<b>Skin contact</b>	When in contact with the skin, clean with soap and water. In case of burning: After contact with molten product cool quickly with cold water or sterile salt solution and protect with gauze. Get medical advice.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	not applicable

##### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

##### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### SECTION 5: Fire-fighting measures

##### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	foam, dry powder, water spray jet, carbon dioxide
<b>Extinguishing media that must not be used</b>	Full water jet.

##### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.  
Carbon monoxide (CO)  
Carbon dioxide (CO<sub>2</sub>)

##### 5.3 Advice for firefighters

Use self-contained breathing apparatus.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

#### SECTION 6: Accidental release measures

##### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

##### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

##### 6.3 Methods and material for containment and cleaning up

Take up mechanically.  
Dispose of absorbed material in accordance with the regulations.

##### 6.4 Reference to other sections

See SECTION 8+13

Trotec Laser GmbH

4600 Wels

Date printed 24.06.2019, Revision 24.06.2019

Version 01

Page 3 / 8

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

During mechanical processing vacuuming at processing machines is necessary.  
 During thermal processing vacuuming at processing machines is necessary.  
 The normal safety precautions for handling of molten, heated products must be observed.

The product is combustible.  
 Take precautionary measures against static discharges.

Wash hands before breaks and after work.  
 Do not eat, drink, smoke or take drugs at work.

### 7.2 Conditions for safe storage, including any incompatibilities

Do not store together with acids and alkalis.  
 Do not store together with oxidizing agents.

Keep in a well-ventilated place.  
 Keep in a cool place. Store in a dry place.  
 Protect from heat/overheating and from sun.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

Ingredients with occupational  
 exposure limits to be monitored (US)

not applicable

### 8.2 Exposure controls

**Additional advice on system design** Ensure adequate ventilation on workstation.  
 Use suitable discharges or exhaust ventilation if heat treatment is intended.  
 Protection adapted to the manipulation of the fused product (danger of burning).

**Eye protection** Not required under normal conditions.

**Hand protection** Suitable protective gloves.

**Skin protection** Not required under normal conditions.

**Other** Avoid contact with eyes and skin.  
 Do not inhale vapours.

**Respiratory protection** Respiratory protection in the case of thermal processing.  
 Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

**Thermal hazards** See SECTION 7.

**Delimitation and monitoring of the environmental exposition** Comply with applicable environmental regulations limiting discharge to air, water and soil.

Trotec Laser GmbH

4600 Wels

Date printed 24.06.2019, Revision 24.06.2019

Version 01

Page 4 / 8

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Form	solid in different forms
Color	various
Odor	characteristic
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	not applicable
Flammability (solid, gas) [°C]	not flammable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not applicable
Density [g/ml]	No information available.
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	insoluble
Partition coefficient [n-octanol/water]	No information available.
Viscosity	not applicable
Relative vapour density determined in air	not applicable
Evaporation speed	not applicable
Melting point [°C]	No information available.
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with strong acids and alkalies.  
 Reactions with oxidizing agents.

### 10.4 Conditions to avoid

Strong heating.  
 Avoid temperatures above 300 °C / 572 °F.

### 10.5 Incompatible materials

See SECTION 10.3.

Trotec Laser GmbH

4600 Wels

Date printed 24.06.2019, Revision 24.06.2019

Version 01

Page 5 / 8

### 10.6 Hazardous decomposition products

No dangerous reactions known if used as directed.

In the case of heating following (decomposition) products may occur:

Carbon oxides, Acrylates, Methacrylates, Hazardous organic compounds.

Toxic gases/vapours.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

<b>Serious eye damage/irritation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Skin corrosion/irritation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Respiratory or skin sensitisation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Specific target organ toxicity — single exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Specific target organ toxicity — repeated exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Mutagenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Reproduction toxicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Carcinogenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Aspiration hazard</b>	Based on the available information, the classification criteria are not fulfilled.
<b>General remarks</b>	Risk of mechanical irritation. May cause irritation of eye (vapours/fumes). May cause respiratory tract irritation (vapours/fumes). Toxicological data of complete product are not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

### 12.2 Persistence and degradability

<b>Behaviour in environment compartments</b>	No information available.
<b>Behaviour in sewage plant</b>	Can be separated out mechanically in purification plants.
<b>Biological degradability</b>	No information available.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

No information available.

### 12.6 Other adverse effects

The product is insoluble in water.

Ecotoxicological data are not available.

Trotec Laser GmbH

4600 Wels

Date printed 24.06.2019, Revision 24.06.2019

Version 01

Page 6 / 8

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

RCRA Hazard Class (40CFR 261): Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.

**Product** Disposal in an incineration plant in accordance with the regulations of the local authorities.

**Contaminated packaging** Contaminated packing should be disposed of as product waste.  
Uncontaminated packaging may be taken for recycling.

### SECTION 14: Transport information

#### 14.1 UN number

**Transport by land according to ADR/RID** not applicable

**Inland navigation (ADN)** not applicable

**Marine transport in accordance with IMDG** not applicable

**Air transport in accordance with IATA** not applicable

**DOT Road Shipment Information (49 CFR)** not applicable

#### 14.2 UN proper shipping name

**Transport by land according to ADR/RID** NO DANGEROUS GOODS

**Inland navigation (ADN)** NO DANGEROUS GOODS

**Marine transport in accordance with IMDG** NOT CLASSIFIED AS "DANGEROUS GOODS"

**Air transport in accordance with IATA** NOT CLASSIFIED AS "DANGEROUS GOODS"

**DOT Road Shipment Information (49 CFR)** NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

**Transport by land according to ADR/RID** not applicable

**Inland navigation (ADN)** not applicable

**Marine transport in accordance with IMDG** not applicable

**Air transport in accordance with IATA** not applicable

**DOT Road Shipment Information (49 CFR)** not applicable

#### 14.4 Packing group

**Transport by land according to ADR/RID** not applicable

**Inland navigation (ADN)** not applicable

**Marine transport in accordance with IMDG** not applicable

**Air transport in accordance with IATA** not applicable

**DOT Road Shipment Information (49 CFR)** not applicable

Trotec Laser GmbH

4600 Wels

Date printed 24.06.2019, Revision 24.06.2019

Version 01

Page 7 / 8

**14.5 Environmental hazards**

Transport by land according to ADR/RID	no
Inland navigation (ADN)	no
Marine transport in accordance with IMDG	no
Air transport in accordance with IATA	no
DOT Road Shipment Information (49 CFR)	no

**14.6 Special precautions for user**

Relevant information under SECTION 6 to 8.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations**

29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65

- SARA, 302

not applicable

- SARA, 311

not applicable

- SARA, 313

not applicable

- CA Proposition 65

WARNING: This product can expose you to chemicals including "2-propenoic acid, ethyl ester (CAS 140-88-5)", which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov/furniture](http://www.P65Warnings.ca.gov/furniture).

This product may contain trace levels of a component or components known to the state of California to cause birth defects or other reproductive harm: Toluene (CAS 108-88-3), Mercury (CAS 7439-97-6).

This product may contain trace levels of components known to the state of California to cause cancer: Aniline (CAS 62-53-3), Antimony (3+)Trioxide (CAS 1309-64-4), Arsenic (CAS 7440-38-2), Cadmium (CAS 7440-43-9), Selenium Sulfide (CAS 7446-34-6), 3,3-Dichlorobenzidine (CAS 91-94-1), Ethyl Acrylate (CAS 140-88-5), Lead (CAS 7439-92-1), Nickel (CAS 7440-02-0), Toluene diisocyanate (CAS 26471-62-5).

- TSCA

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.

- FDA

not applicable

American Conference of Governmental Industrial Hygienists - ACGIH

not applicable

International Agency for Research on Cancer IARC

not applicable

National Toxicology Program - NTP

not applicable

HAP-VOC

not applicable

Transport-regulations

DOT Classification;ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)

Trotec Laser GmbH

4600 Wels

Date printed 24.06.2019, Revision 24.06.2019

Version 01

Page 8 / 8

**SECTION 16: Other information**
**16.1 Ratings**
**HMIS Ratings**

<b>HEALTH</b>	<b>0</b>	0 - Minimal Hazard
<b>FLAMMABILITY</b>	<b>1</b>	1 - Slight Hazard
<b>PHYSICAL HAZARD</b>	<b>0</b>	0 - Minimal Hazard
<b>PERSONAL PROTECTION</b>	<b>X</b>	X - Personal protection rating to be supplied by user depending on use conditions

**NFPA Ratings**

1		
0	0	
-		

TOP, FLAMMABILITY: 1 - Slight Hazard

LEFT, HEALTH: 0 - Minimal Hazard

RIGHT, REACTIVITY: 0 - Minimal Hazard

BOTTOM, SPECIAL NOTICE: -

**16.2 Abbreviations and acronyms:**

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
 ATE = acute toxicity estimate  
 CAS = Chemical Abstracts Service  
 CLP = Classification, Labelling and Packaging  
 DMEL = Derived Minimum Effect Level  
 DNEL = Derived No Effect Level  
 EC50 = Median effective concentration  
 ECB = European Chemicals Bureau  
 EEC = European Economic Community  
 EINECS = European Inventory of Existing Commercial Chemical Substances  
 ELINCS = European List of Notified Chemical Substances  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
 IC50 = Inhibition concentration, 50%  
 IMDG = International Maritime Code for Dangerous Goods  
 IUCLID = International Uniform Chemical Information Database  
 LC50 = Lethal concentration, 50%  
 LD50 = Median lethal dose  
 LC0 = lethal concentration, 0%  
 LOAEL = lowest-observed-adverse-effect level  
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
 NOAEL = No Observed Adverse Effect Level  
 NOEC = No Observed Effect Concentration  
 PBT = Persistent, Bioaccumulative and Toxic substance  
 PNEC = Predicted No-Effect Concentration  
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
 STP = Sewage Treatment Plant  
 TLV®/TWA = Threshold limit value – time-weighted average  
 TLV®STEL = Threshold limit value – short-time exposure limit  
 VOC = Volatile Organic Compounds  
 vPvB = very Persistent and very Bioaccumulative

**16.3 Other information**
**Classification procedure**
**Modified position**

none



Copyright: Chemiebüro®

