

Trotec Laser GmbH

4600 Wels

Date printed 29.11.2017, Revision 20.08.2015

Version 01

Page 1 / 8

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****TroPly HiGloss****1.2 Relevant identified uses of the substance or mixture and uses advised against****1.2.1 Relevant uses**

Plastics articles  
Laser engraved article  
Mechanic engraving

**1.2.2 Uses advised against**

None known.

**1.3 Details of the supplier of the safety data sheet**

**Company** Trotec Laser GmbH  
Linzer Str. 156  
4600 Wels / AUSTRIA  
Phone +43 (0)72 42 239-7777  
Fax +43 (0) 72 42 239-7380  
Homepage [www.troteclaser.com](http://www.troteclaser.com)  
E-mail [trotec@troteclaser.com](mailto:trotec@troteclaser.com)

**Address enquiries to**

**Technical information** [trotec@troteclaser.com](mailto:trotec@troteclaser.com)  
**Safety Data Sheet** [sdb@chemiebuero.de](mailto:sdb@chemiebuero.de)

**1.4 Emergency telephone number**

**Company** +43 (0)72 42 239-7777

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

not determined

**2.2 Label elements**

This product is an article and therefore it does not require labelling according to EC directives [REACH/CLP].

**2.3 Other hazards**

**Human health dangers** Risk of mechanical irritation by dust particles (eyes, skin).

**Other hazards** No particular hazards known.

**SECTION 3: Composition / Information on ingredients****Product-type:**

The product is a mixture.

**Comment on component parts**

No dangerous components.  
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

Trotec Laser GmbH

4600 Wels

Date printed 29.11.2017, Revision 20.08.2015

Version 01

Page 2 / 8

**SECTION 4: First aid measures****4.1 Description of first aid measures**

<b>General information</b>	In the event of symptoms seek medical treatment.
<b>Inhalation</b>	not applicable After inhalation of vapours of product which can set free by thermal processing: Remove the victim into fresh air and keep him calm. In the event of symptoms seek medical treatment.
<b>Skin contact</b>	In case of contact with skin wash off with warm water. Consult a doctor if skin irritation persists. In case of burning: After contact with molten product cool quickly with cold water or sterile salt solution and protect with gauze.
<b>Eye contact</b>	If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	not applicable

**4.2 Most important symptoms and effects, both acute and delayed**

No information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Fire-fighting measures****5.1 Extinguishing media**

<b>Suitable extinguishing media</b>	Carbon dioxide. Water spray jet.
<b>Extinguishing media that must not be used</b>	Full water jet.

**5.2 Special hazards arising from the substance or mixture**

In the event of fire the following can be released:  
Carbon monoxide (CO)  
Carbon dioxide (CO<sub>2</sub>)

**5.3 Advice for firefighters**

Use self-contained breathing apparatus.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.  
Use personal protective equipment.

**6.2 Environmental precautions**

Do not discharge into the drains/surface waters/groundwater.

**6.3 Methods and material for containment and cleaning up**

Take up mechanically.  
Dispose of absorbed material in accordance with the regulations.

**6.4 Reference to other sections**

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

During mechanical processing vacuuming at processing machines is necessary.  
 Avoid the formation and deposition of dust.  
 Dust deposits that cannot be avoided must be taken up regularly.  
 During thermal processing vacuuming at processing machines is necessary.  
 The normal safety precautions for handling of molten, heated products must be observed.  
 The product is combustible.  
 Wash hands before breaks and after work.  
 Do not eat, drink, smoke or take drugs at work.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep in a well-ventilated place.  
 Keep in a cool place. Store in a dry place.  
 Protect from heat/overheating and from sun.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

not applicable

### 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Pay attention to dust limit value (ACGIH-2011: 10 mg/m <sup>3</sup> particle inhalable; 3 mg/m <sup>3</sup> particle respirable). Use suitable discharges or exhaust ventilation if heat treatment is intended. Protection adapted to the manipulation of the fused product (danger of burning).
<b>Eye protection</b>	In the event of dust formation: safety glasses (EN 166:2001)
<b>Hand protection</b>	Suitable protective gloves.
<b>Skin protection</b>	Not required under normal conditions.
<b>Other</b>	Avoid contact with eyes and skin. Do not inhale dust. Do not inhale vapours. Avoid contact of molten material with skin.
<b>Respiratory protection</b>	Respiratory protection in the case of dust formation. Respiratory protection in the case of thermal processing. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
<b>Thermal hazards</b>	See SECTION 7.
<b>Delimitation and monitoring of the environmental exposition</b>	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Trotec Laser GmbH

4600 Wels

Date printed 29.11.2017, Revision 20.08.2015

Version 01

Page 4 / 8

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Form	solid
Color	various
Odor	faintly
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	not applicable
Flammability (solid, gas) [°C]	> 250
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	1,15 - 1,20 (20 °C / 68,0 °F)
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	insoluble
Partition coefficient [n-octanol/water]	No information available.
Viscosity	not applicable
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	ca. 132
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	> 250

### 9.2 Other information

Softening point (ring and ball): ca. 95 °C  
 Temperature resistance: -40°C - +80 °C

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

No hazardous reactions known.

### 10.4 Conditions to avoid

Decomposes begins at > 250 °C.

### 10.5 Incompatible materials

No information available.

Trotec Laser GmbH

4600 Wels

Date printed 29.11.2017, Revision 20.08.2015

Version 01

Page 5 / 8

**10.6 Hazardous decomposition products**

In the case of heating following (decomposition) products may occur:

Oxide of carbon (CO<sub>x</sub>)

Styrene.

Acrylonitrile

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity**

<b>Serious eye damage/irritation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Skin corrosion/irritation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Respiratory or skin sensitisation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Specific target organ toxicity — single exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Specific target organ toxicity — repeated exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Mutagenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Reproduction toxicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Carcinogenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Aspiration hazard</b>	Based on the available information, the classification criteria are not fulfilled.
<b>General remarks</b>	Risk of mechanical irritation by dust particles. May cause irritation of eye (vapours/fumes). May cause respiratory tract irritation (vapours/fumes). Toxicological data of complete product are not available.

**SECTION 12: Ecological information****12.1 Toxicity****12.2 Persistence and degradability**

<b>Behaviour in environment compartments</b>	No information available.
<b>Behaviour in sewage plant</b>	Can be separated out mechanically in purification plants.
<b>Biological degradability</b>	The product is not biodegradable.

**12.3 Bioaccumulative potential**

No information available.

**12.4 Mobility in soil**

No information available.

**12.5 Results of PBT and vPvB assessment**

No information available.

**12.6 Other adverse effects**

The product is insoluble in water.  
Ecotoxicological data are not available.

Trotec Laser GmbH

4600 Wels

Date printed 29.11.2017, Revision 20.08.2015

Version 01

Page 6 / 8

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product**

Disposal in an incineration plant in accordance with the regulations of the local authorities.

**Waste no. (recommended)**

070213

**Contaminated packaging**

Contaminated packing should be disposed of as product waste.  
Uncontaminated packaging may be taken for recycling.

**Waste no. (recommended)**150102  
150101**SECTION 14: Transport information****14.1 UN number**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

**14.2 UN proper shipping name**

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

**14.3 Transport hazard class(es)**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Trotec Laser GmbH

4600 Wels

Date printed 29.11.2017, Revision 20.08.2015

Version 01

Page 7 / 8

**14.4 Packing group**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

**14.5 Environmental hazards**

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

**14.6 Special precautions for user**

Relevant information under SECTION 6 to 8.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2008/47/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

**TRANSPORT-REGULATIONS** DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2017).

**NATIONAL REGULATIONS (GB):** EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions for people none

- VOC (2010/75/CE) 0 %

**15.2 Chemical safety assessment**

not applicable

Trotec Laser GmbH

4600 Wels

Date printed 29.11.2017, Revision 20.08.2015

Version 01

Page 8 / 8

**SECTION 16: Other information****16.1 Abbreviations and acronyms:**

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
 ATE = acute toxicity estimate  
 CAS = Chemical Abstracts Service  
 CLP = Classification, Labelling and Packaging  
 DMEL = Derived Minimum Effect Level  
 DNEL = Derived No Effect Level  
 EC50 = Median effective concentration  
 ECB = European Chemicals Bureau  
 EEC = European Economic Community  
 EINECS = European Inventory of Existing Commercial Chemical Substances  
 ELINCS = European List of Notified Chemical Substances  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
 IC50 = Inhibition concentration, 50%  
 IMDG = International Maritime Code for Dangerous Goods  
 IUCLID = International Uniform Chemical Information Database  
 LC50 = Lethal concentration, 50%  
 LD50 = Median lethal dose  
 LC0 = lethal concentration, 0%  
 LOAEL = lowest-observed-adverse-effect level  
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
 NOAEL = No Observed Adverse Effect Level  
 NOEC = No Observed Effect Concentration  
 PBT = Persistent, Bioaccumulative and Toxic substance  
 PNEC = Predicted No-Effect Concentration  
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
 STP = Sewage Treatment Plant  
 TLV@TWA = Threshold limit value – time-weighted average  
 TLV@STEL = Threshold limit value – short-time exposure limit  
 VOC = Volatile Organic Compounds  
 vPvB = very Persistent and very Bioaccumulative

**16.2 Other information****Classification procedure****Modified position**

none

Copyright: Chemiebüro®